GRAS RA0252

1/4" 0.4cc High Frequency Coupler





Volume: 0.4cc IEC: TS 62886 (IEC 60118-0)

Use: For hearing aid test up to 16 kHz

GRAS RA0252 is a1/4" 0.4cc High freq Coupler for testing of hearing aids at frequencies up to 16 kHz.



Technology

GRAS RA0252 is a 1/4" 0.4cc High freq Coupler for testing of hearing aids at frequencies up to 16 kHz.

It is used in the <u>GRAS 43BA-1</u> 1/4" 0.4cc High Frequency Coupler Kit, <u>GRAS 43BA-2</u> 1/4" 0.4cc CCP High Frequency Coupler Kit and <u>GRAS 43BA-3</u> 1/4" 0.4cc CCP High Frequency Coupler Kit, High Sensitivity.

The RA0252 is the coupler delivered as a separate part, i.e. without microphone, ear mold and tube adapters.



Specifications

| Coupler volume | mm³ | 0.4 ccm |
|----------------|-----|---------|
|----------------|-----|---------|

GRAS Worldwide

Subsidiaries and distributors in more than 40 countries

HEAD OFFICE, DENMARK

GRAS SOUND & VIBRATION

Skovlytoften 33 2840 Holte Denmark Tel: +45 4566 4046 www.grasacoustics.com gras@grasacoustics.com

ΙΙςΔ

GRAS SOUND & VIBRATION

5750 S.W. Arctic Drive Beaverton, OR 97005 Tel: 503-627-0832 Toll Free: 800-231-7350 www.grasacoustics.com sales-usa@grasacoustics.com

АИІН

GRAS SOUND & VIBRATION

Room 303, Building T6 Hongqiaohui, 990, Shenchang Road Minhang District, Shanghai China. 201106 Tel: +86 21 64203370 www.gras.com.cn



ABOUT GRAS SOUND & VIBRATION

GRAS is a worldwide leader in the sound and vibration industry. We develop and manufacture state-of-the-art measurement microphones to industries where acoustic measuring accuracy and repeatability is of utmost importance in R&D, QA and production. This includes applications and solutions for customers within the fields of aerospace, automotive, audiology, and consumer electronics. GRAS microphones are designed to live up to the high quality, durability and accuracy that our customers have come to expect and trust.

GRAS Sound & Vibration